

Full-Surface Page Screenshots

Generated: 2026-04-18 · 35 pages

16 public routes + 19 authenticated /app/* routes

[illegible]



ScriptoriumAI
AI-DRIVEN RESEARCH & SCIENTIFIC PUBLICATION SUITE

[Home](#)[About](#)[Pricing](#)[Resources](#)

[Sign In](#)[Sign Up](#)

HELP CENTER

How ScriptoriumAI works

Use this page when you need route-level orientation, workflow answers, and user-facing guidance without reading the deeper technical repository data.

Getting Started

Editor and Compile

Search, Graph, and Runboard

Studio

Citation Intelligence

Memory Domains

Visualization System

AI Orchestration

Affiliate Marketplace

Getting Started

Account access, project creation, and first-use orientation.

Editor and Compile

Explorer, authoring controls, compile flow, preview, and Native PDF.

History, AI Memory, and Collaboration

Local history, AI Memory, and multi-user review behavior.

Search, Graph, and Runboard

Inspection and operational surfaces beyond the editor.

Studio and Optional Surfaces

The specialized routed surfaces beyond the core editor.

AI, Settings, and Account

Configuration-oriented user questions.

Affiliate Marketplace

Open marketplace onboarding, disclosure, tracking, and assets.

Citation Intelligence

Bibtex auto-completion, citation graph memory, Latex error context, and integrity forecasting.

Memory Domain Intelligence

Governance drill, integration boundary, provenance ledger, cost-adaptive analysis, offline queue, section charts, and submission readiness.

Workspace Visualization System

Layout presets, working-set tabs, graph heatmaps, glyph packs, governance cockpit, and external capability surfaces.

AI Orchestration and Agent Tools

Autonomous research-agent teams, Skills Manager, OpenAPI routing configuration, and Manim animation workflow.

Ops and Self-Hosting References

Where to go for technical and operational references.

Still need help?

Use the support surface for questions that need operator follow-up, deployment help, or product clarification beyond this public help content.

Submit a Request

Back to Docs

ScriptoriumAI

AI-Driven Research & Scientific Publication Suite. The only platform combining native Latex compile orchestration, real-time PDF rendering, bidirectional SyncTex, cross-document comparison, and structured AI Memory in one unified architecture.

×

Is

©

PRODUCT

[Home](#)[Pricing](#)[Docs](#)[Affiliate Program](#)[Changelog](#)

SUPPORT

[Support Hub](#)[Help Center](#)[Submit a Request](#)[Product Feedback](#)

LEGAL

[Terms](#)[Privacy](#)[Imprint/umh](#)[Withdrawal](#)[Shipping & Payment](#)

© 2025 ScriptoriumAI Labs. All rights reserved.

[illegible]



RELEASE NOTES

Changelog

What's new in ScriptoriumAI – features, improvements, and fixes across the editor, complex, collaboration, and intelligence surfaces.

v1.4.0

AI ORCHESTRATION & COLLABORATION

2024-04-12

- Research Agent dashboard – launch and track multi-perspective AI research swarm sessions; sessions persist via localStorage with live sync when the backend is available.
- New Research Topic form – configure depth strategy (broad overview, deep dive, comparative, trend analysis), seed URLs, and topic content before submitting a swarm run.
- Sails Manager – browse, search, filter, and toggle model-agnostic AI capability modules; optimistic local overrides persist across sessions.
- OpenAI® Duetting – configure LLM provider and model per tier (Tier 1/2/3), respect live API key vault status from the capabilities handbook, and override base URLs for BPOK deployments.
- Maxim Sandbox – AI-assisted Maxim animation authoring with storyboard gallery populated from server artifacts and localStorage, plus render preview with download.
- Collaboration production-ready closure (Batch 134): sinceVersion server filter on document state, 5:1 remote-change polling loop, useCollaborationPresence heartbeat hook, and Monaco deltaDecorations remote cursor overlays with 8-colour palette and name labels.
- Liveops@Diff reader replaces QuantumHub reader as the global page loader – Liveops curve particle trail animation.
- Help Center updated with AI Orchestration category covering all five new surfaces.

v1.3.0

CREATIVE MEMORY & VISUALIZATION

2024-04-07

- Broaden memory domain – all 8 intelligence modules complete: governance diff-detection, integration boundary memory (24 topics), presence and expensibility judges, cost-aware adaptive analysis depth, offline-first session memory capture, citation integrity forecasting, submission readiness memory (4 dimensions, trend signals), and section churn memory.
- Workspace visualization system V1-V7: layout presets, working-set tabs, graph heatmaps and cluster expansion, glyph palette and corpus packs, governance cockpit polish, discovery and collaboration surfaces, external capability surfaces.
- Citation intelligence complete: BibLatex auto-completion (DOI/ArXiv/URL), citation graph memory, LaTeX error context knowledge base with 12 patterns and 4 fix-action types, and citation integrity forecasting.
- Smart Expansion: cherry-pick decisions, auto-retention compaction, related share bundles, offline air-gapped bundle mode, and meaning-quality telemetry opt-in.
- Runboard operator surface enhancements: FBR-01 through FBR-04, checkpoint-resume posture, stage-oriented visibility, approval-verify cut, and retrospective surface.
- Runboard test monthlets decomposed across 28 focused thematic suites.
- Pricing: 30% volume discount for 50k seats, self-serve only (no Contact Sales), real-time collaboration included at Student and Scholar tiers.

v1.2.0

EXTERNAL INTEGRATION ACTIVATION

2024-03-24

- MidMap photo: selected node handoffs into Search, Corpus Graph, Editor, and Runboard with receiver-side banners and return routes.
- Video Studio workflow presets (Corpus Walkthrough, Governance Recap, Remediation Brief) with post-preflight handoff into the routed editor and Runboard.
- Diagram Studio workflow presets with stable receiver-side Escalade scene review handoff and Runboard receiver banners.
- PDF intake operator surface: palmad probe/benchmark, trage buckets, remediation bundles, FORDelta handoff links, and search-first remediation plans.
- Authenticated shell: real account menu, responsive sidebar collapse, Ctrl-Shift-E explore toggle, formatting row-own preview visibility.
- R2B Sack payroll: SubscriptionGate component applied across all gated features; tier enforcement middleware with per-plan compile timeout, project cap, and storage quota.
- Minor and submodule integration for Httysci@kHub, HKUDS/OpenSpace, supermemory/supermemory, Itatim, and atoms.

v1.0.0

GENERAL AVAILABILITY

2024-03-24

- Native LaTeX complex orchestration – per-project locking, persistent build directories, retry semantics, and full artifact manifests with Sync task index URLs.
- Real MuPDF PDF rendering with large-document lazy-caching and bidirectional SyncTex navigation – click a PDF page to jump to source, edit source to scroll the PDF.
- Cross-document comparison intelligence – PFDelta visual diff, remediation routing engine, and line-level proposal accept/reject with multi-diff/layer management.
- Gib-native local history – full checkpoint control with label, diff, restore, and content hydration per project.
- AI Memory – persistent session tree with fork/restore operations and live mode tracking in the editor toolbar.
- Source-grounded agent memory – scope-partitioned, PR-redacted, quality-scored agent memory with entity-graph binding and contradiction detection.
- Real-time collaboration – presence cursors, review threads, mention routing, follow-mode, and session handoff.
- Scientific Python runtime – ucyenv environment manager with project-scoped preference persistence and Python version management.
- Operator Runboard – stage-oriented run visibility, checkpoint/resume posture, approval/verify transitions, and post-run retrospectives.
- Monaco-powered editor with LaTeX syntax, protected regions, document outline navigation, and glyph picker.
- Page@ML export pipeline – multi-formal publication from a single LaTeX source.
- Desktop + web via Taui – identical experience offline: find on macOS, Windows, and Linux, and in browser.

ScriptoriumAI

AI Native Research & Scientific Publication Suite. The only platform combining native LaTeX compile orchestration, real MuPDF rendering, bidirectional SyncTex, cross-document comparison, and structured AI Memory in one unified architecture.



PRODUCT

- Home
- Pricing
- Docs
- Affiliate Program
- Changelog

SUPPORT

- Support Hub
- Help Center
- Submit a Report
- Product Feedback

LEGAL

- Terms
- Privacy
- Imprintum
- Withdrawal
- Shipping & Payment



ScriptoriumAI

AN ACTIVE RESEARCH & SCIENTIFIC PUBLICATION SUITE

[HOME](#)
[ABOUT](#)
[PRICING](#)
[RESOURCES](#)
[Sign In](#)
[Sign Up](#)

Tracking, disclosure, brand-kit, and payout guidance for the open marketplace

This page is the operating reference for ScriptoriumAI's broad affiliate marketplace. It covers how attribution works, what assets to use, what disclosures are required, and how payout and fraud controls are handled.

[Open affiliate onboarding](#)
[Open support ticket](#)

Tracking model

Use first-party plus server-side attribution with affiliate IDs, click IDs, optional sub-IDs, coupon code fallback, and clean direct URLs. The point is availability, not black-box credit assignment.

- Subid affiliae identity
- Click-level attribution
- Coupon fallback
- Direct URL support
- Server-side conversion events

Disclosure and privacy

Marketplace content must disclose the affiliate relationship clearly. Tracking should stay privacy-aware and minimize unnecessary third-party dependence.

- Visible disclosure near the recommendation
- Privacy-aware tracking and consent handling
- No hidden requirements
- No dark pattern distribution

Brand and press kit

Use official logos, screenshots, workflow visuals, and approved copy instead of improving product claims or editing the brand identity.

- Primary and monochrome logos
- Current screenshots
- Approved product descriptions
- Usage restrictions
- Do not say guidance

Payout and compliance

Payout unlocks only after identity and tax details are in place. Suspicious behavior can pause approval while attribution and fraud signals are reviewed.

- Monthly payout calendar
- Related and internal controls
- Identity and tax collection
- Fraud review holds
- Program suspension for policy breach

ALLOWED CHANNELS

Use the marketplace in context-rich surfaces

Blog posts, newsletters, videos, podcasts, and technical tutorials with explicit disclosure.

Course material, documentation breakdowns, and workflow walkthroughs.

Clean links, coupon codes, and direct URLs tied to real product context.

DISALLOWED PRACTICES

What gets a placement rejected or a payout held

Hidden or buried affiliate disclosures

Misleading claims, fake rankings, or unearned badge/status claims

Trademark bidding, confusing domain names, or impersonation

Coupon-site spam, adware, toolbar installs, or generic low-informt traffic floods

BRAND AND PROOF MATERIALS

What the brand kit should include

Visual asset pack

Current logos, monochrome variants, screenshots, workflow crops, and optional motion assets. Use official assets only and do not reshape or recolor the mark to imply unofficial variants.

Message library

Short and long product descriptions, use case blocks, approved comparison panels, and explicit wording for AI-assisted features such as AI Memory and AI Diagram Studio.

KEY DATABOARD

What the marketplace should actually measure

Approved applicants / total applicants

Active affiliates / total approved affiliates

Clicks → activation → paid conversion

Net revenue, reversals, and retention by affiliate

Time from conversion to payout approval

Share of volume from top affiliates versus program median

NEED SOMETHING ELSE?

Use support for asset requests, edge-case tracking questions, or payout issues

The marketplace is open at launch, but operational controls still apply. If you need a review on a planned placement, a clarified claim, or help with a tracking edge case, use support or email directly.

[Open support ticket](#)
inquire@scriptoriumai.io

ScriptoriumAI

AN Active Research & Scientific Publication Suite. The only platform combining native LaTeX compile orchestration, real-time rendering, bidirectional LaTeX-CSS, cross-document comparison, and structured AI Memory in one unified architecture.

PRODUCT

[Home](#)
[Pricing](#)
[Dev](#)
[Affiliate Program](#)
[Changing](#)

SUPPORT

[Support Hub](#)
[Help Center](#)
[Submit a Request](#)
[Product Feedback](#)

LEGAL

[Terms](#)
[Privacy](#)
[Imprintum](#)
[Whistleblow](#)
[Shipping & Payment](#)

[x](#)
[fa](#)
[dribbble](#)
[github](#)

© 2025 ScriptoriumAI Labs. All rights reserved.



ScriptoriumAI
AI-DRIVEN RESEARCH & SCIENTIFIC PUBLICATION SUITE

[Home](#)[About](#)[Pricing](#)[Resources](#)

[Sign In](#)[Sign Up](#)

SUPPORT

Questions, Feedback & Contact

Whether you have a question about the platform, want to share feedback, or need support – we read every message.

[Send a Message](#)[View Changelog](#)



Help Center

Guides, playbooks, troubleshooting paths, and operator documentation for editor, runboard, and corpus workflows.

[Open Help Center](#)



Support Request

Track account, billing, authentication, and platform incidents in one queue.

[Submit Request](#)



Questions & Feedback

Share a question, feature request, or something to share? Use the form below – we read every message.

[Use Form Below](#)

CONTACT

Send Us a Message

Use this form for questions, feedback, bug reports, billing enquiries, or enterprise conversations. We respond within one business day.

TOPIC

[Question](#)[Product Feedback](#)[Bug Report](#)[Billing & Plans](#)[Enterprise / Studio Inquiry](#)[Other](#)

NAME

EMAIL

SUBJECT

MESSAGE

[Send Message](#)

Reply to: [help@scriptorium.ai](#)

FAQ

Frequently Asked Questions

What is ScriptoriumAI?

How does authentication work?

What payment provider is used?

What formats does ScriptoriumAI support?

How do I access the operator runboard?

Can I self-host ScriptoriumAI?

How does the affiliate marketplace work?

BILLING & PLANS

ScriptoriumAI is a subscription SaaS for technical writing, scientific publishing, and AI-assisted document intelligence – available in Free, Scholar, Team, and Enterprise tiers.

[Review Pricing](#)

AFFILIATE MARKETPLACE

The affiliate team is open-marketplace at launch. Use the onboarding page to understand how the marketplace works, then use the resource page for disclosure, tracking, brand assets, payout, and fraud-control guidance.

[Open affiliate onboarding](#)

[Open affiliate resources](#)

ScriptoriumAI

AI-Driven Research & Scientific Publication Suite. The only platform combining native LaTeX compile orchestration, real-time PDF rendering, bidirectional SynchML, cross-document comparison, and structured AI Memory in one unified architecture.

[X](#)[IG](#)[FB](#)[YT](#)[TW](#)

PRODUCT

[Home](#)[Pricing](#)[Docs](#)[Affiliate Program](#)[Changelog](#)

SUPPORT

[Support Hub](#)[Help Center](#)[Submit a Request](#)[Product Feedback](#)

LEGAL

[Terms](#)[Privacy](#)[Imprintum](#)[Withdrawal](#)[Shipping & Payment](#)

© 2025 Scriptorium Labs. All rights reserved.



SIGN IN



Welcome back

Your documents, history, and collaboration tools are waiting.

Work email *

you@company.com

Password *

[Forgot password?](#)


Your password

 Sign In

Don't have an account? [Sign up](#)

ScriptoriumAI

AI-Native Research & Scientific Publication Suite. The only platform combining native LaTeX compile orchestration, real MuPDF rendering, bidirectional SyncTeX, cross-document comparison, and structured AI Memory in one unified architecture.



PRODUCT

- Home
- Pricing
- Docs
- Affiliate Program
- Changelog

SUPPORT

- Support Hub
- Help Center
- Submit a Request
- Product Feedback

LEGAL

- Terms
- Privacy
- Impressum
- Withdrawal
- Shipping & Payment



GET STARTED



Create your ScriptoriumAI account

Start writing, compiling, and collaborating on your first project in minutes.

Full name

Jane Doe

Work email *

you@company.com

Password *

8+ chars; upper/lower, number, symbol


8+ chars; upper/lower, number, symbol. Avoid spaces, quotes, backticks, backslashes.

Create Account

Already have an account? Sign in

ScriptoriumAI

AI-Native Research & Scientific Publication Suite. The only platform combining native LaTeX compile orchestration, real MuPDF rendering, bidirectional SyncTeX, cross-document comparison, and structured AI Memory in one unified architecture.



PRODUCT

- Home
- Pricing
- Docs
- Affiliate Program
- Changelog

SUPPORT

- Support Hub
- Help Center
- Submit a Request
- Product Feedback

LEGAL

- Terms
- Privacy
- Impressum
- Withdrawal
- Shipping & Payment



✕



ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Zen

Ctrl+J

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

ScriptoriumAI

Files

Context

Outline

PROJECT FILES

Upload

Refresh

No project files available.

Projects

Editor

Runboard

PDF Intake

Patch Queue

Corpus Graph

Search

Whiteboard

MindMap

AI Diagram Studio

Video Studio

AI Kanban

Research Agent

Skills Manager

OpenAPI Routing

Manim Sandbox

Visualizations

Untitled Document

Find glyph

All packs

echolayer (corpus)

Insert Glyph (echolayer)

Favorite

Manage Glyphs

AI Chat

Save

Compile

B

I

H

H¹

H

H²

π

:

1

PDF Preview

Preview

Native PDF

Insights

AI Memory

Collaboration

No Preview Available

Click the **Compile** button to generate PDF

ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

ScriptoriumAI

Projects

Editor

Runboard

PDF Intake

Patch Queue

Corpus Graph

Search

Whiteboard

MindMap

AI Diagram Studio

Video Studio

AI Kanban

Research Agent

Skills Manager

OpenAPI Routing

Manim Sandbox

Visualizations

Corpus Graph Slice

Operator/addendum lineage, cross-framework graft map projection, and Vault Block sequencing exploration.

Root Type

Operator

Search Root

Entity name contains...

Root Entity

No entities

Refresh

Explorer Presets

Vault Blocks (sequence + recompression)

Applies root type VaultBlock and relation filter next_block, recompressed_from.

Copy Share Link

Saved Preset Name

e.g. Vault block lineage watch

Save Current Preset

Saved Graph Presets (local browser storage)

☐ Quick-load graph on Apply

When enabled, applying a saved preset also loads the lineage graph immediately using the preset graph filters.

No saved presets yet. Save the current graph filter setup to create reusable graph bookmarks.

Preset Sharing (JSON)

Export Presets JSON

[]

Import Presets JSON

Paste JSON array exported from another browser session

Import Mode

replace (discard existing)

Import Presets (Replace)

Load Export into Import

Direction

Max Depth

Neighbor Limit

Include Relations (CSV)

[illegible]

 ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

▼

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

 ScriptoriumAI

<

 Projects

 Editor

 Runboard

 PDF Intake

 Patch Queue

 Corpus Graph

 Search

 Whiteboard

 MindMap

 AI Diagram Studio

 Video Studio

 AI Kanban

 Research Agent

 Skills Manager

 OpenAPI Routing

 Manim Sandbox

 Visualizations

Corpus Search

Search corpus entities, filter by type, and inspect lineage neighbors without leaving the app.

 Search entities by name, source, or status...

 All entity types

▼

 Search

Results

0 entities loaded

Real corpus API

No entities found. Try a broader query or switch the entity filter back to "All".

Lineage Preview

Neighbors and relation summary for the selected entity

Select a result to inspect its lineage neighbors.

ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

ScriptoriumAI

Projects

Editor

Runboard

PDF Intake

Patch Queue

Corpus Graph

Search

Whiteboard

MindMap

AI Diagram Studio

Video Studio

AI Kanban

Research Agent

Skills Manager

OpenAPI Routing

Manim Sandbox

Visualizations

Patch Review Queue

Review pending corpus patch operations, compare fixups, and governance-sensitive changes before they are promoted.

PENDING

2

APPROVED

1

REJECTED

0

Queued patches

Resolve duplicate bibliography label cluster

integrity-remediation · document:alien-echoes/biblio.bib

pending

Normalize concept alias mapping

entity-patch · concept:hyperanthropism

pending

Preserve protected LaTeX block during compare remediation

compare-fix · editor:project-42/main.tex

approved

integrity-remediation

pending

Resolve duplicate bibliography label cluster

Target: document:alien-echoes/biblio.bib

REVIEW RATIONALE

Integrity report flagged duplicate label collision in active compare pipeline.

Created 3/18/2026, 10:10:00 AM

DIFF PREVIEW

- @article{tension2026,

+ @article{tension2026a,

title = {Vertical Tension},

✓ Approve

✗ Reject

ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

ScriptoriumAI

<

Projects

Editor

Runboard

PDF Intake

Patch Queue

Corpus Graph

Search

Whiteboard

MindMap

AI Diagram Studio

Video Studio

AI Kanban

Research Agent

Skills Manager

OpenAPI Routing

Manim Sandbox

Visualizations

Visualizations

Rendered Manim animations from your projects

No visualizations yet

Create your first Manim animation in the Manim Sandbox

Open Manim Sandbox

Connect Backend -- Manim Render Pipeline

Visualizations are fetched from /api/visuals endpoint. The Manim Backend service and its pipeline must be running and writing artifacts with type=manim to render to appear here.

ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

ScriptoriumAI

<

Projects

Editor

Runboard

PDF Intake

Patch Queue

Corpus Graph

Search

Whiteboard

MindMap

AI Diagram Studio

Video Studio

AI Kanban

Research Agent

Skills Manager

OpenAPI Routing

Manim Sandbox

Visualizations

Whiteboard Workspace

Quick whiteboard for corpus-linked diagrams, notes, and visual planning.

Back

Projects

Add Corpus Template

Fit Content

Grid On

Zen On

View Mode

Load Server

Save Server

JSON

Register Artifact

History

Compare

Restore Revision

Import

Keyboard Shortcuts

Copy JSON

Copy PNG

JSON

PNG

SVG

Clear

Status: No server scene found. Local workspace remains active.

Server Sync: idle

Server Scene: none

History Sync: idle

History Entries: 0

Elements: 0

Files: 0

Modes: edit

Scene Budget: nominal

Autosave Delay: 250ms

Reduced Motion: off

Workspace Sidebar: closed

Embeddable Policy: allowlist

Review Status: draft

Review Threads: 0

Active Reviewers: 0

Review Sync: idle

Last autosave: 10:18:49 PM

Drop local snapshot

No linked scene is loaded yet. You can sketch locally here, open the board from AI Diagram Studio, or save the first scene to attach it to a project-aware context.

Revision: Select revision Total: 0

Embeddable Policy

Mermaid Bridge (beta)

Scene Access Control

Entity Anchoring

ScriptoriumAI workspace diagnostics

Scene budget: nominal

Autosave delay: 250ms

History entries: 0/0

Policy mode: allowlist

Trusted renderers: 3

Reduced motion: off

Review status: draft

Review threads: 0 (0 open)

Active reviewers: 0

Review sync: idle

Scene budget nominal.

Policy: allowlist - Sidebar: closed

Shortcuts

Load

Save

Workspace

ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

ScriptoriumAI

<

Projects

Editor

Runboard

PDF Intake

Patch Queue

Corpus Graph

Search

Whiteboard

MindMap

AI Diagram Studio

Video Studio

AI Kanban

Research Agent

Skills Manager

OpenAPI Routing

Manim Sandbox

Visualizations

MindMap View

Read-only corpus projection from Whiteboard scene seeds (SimpleMindMap-compatible payload).

scene id (required)

200

Refresh Seed

Open JSON

Copy Payload

Copy Outline

Copy Outline + IDs

Copy Rows TSV

Copy Paths

Copy Paths + IDs

Copy Leaf Paths

Copy Leaf Paths + IDs

Copy Leaf Rows TSV

Copy Branch Rows TSV

Copy Branch Paths

Copy Branch Paths + IDs

Copy Node Summary TSV

Copy Depth Summary TSV

Copy Depth Summary JSON

Copy Depth Summary Markdown

Copy Depth Summary JSON Rows

Copy Depth Summary Plain Text

Copy Depth Summary Percent TSV

Copy Depth Summary Percent Markdown

Copy Depth Summary Percent GFM

Copy Depth Summary Percent SQL

Copy Depth Summary Percent SQLite

Copy Depth Summary Percent PostgreSQL

Copy Depth Summary Percent MySQL

Copy Depth Summary Percent SQL Server

Copy Depth Summary Percent Oracle

Copy Depth Summary Percent DuckDB

Copy Depth Summary Percent BigQuery

Copy Depth Summary Percent JSON

Copy Depth Summary Percent CSV

Copy Depth Summary Percent Plain Text

Copy Depth Summary Percent JSON Rows

Copy Depth Summary Percent NDJSON

Copy Depth Summary Percent YAML

Copy Depth Summary Percent TOML

Copy Depth Summary Percent XML

Copy Depth Summary Percent HTML

Copy Depth Summary Percent LaTeX

Copy Depth Summary Percent AsciiDoc

Copy Depth Summary Percent reStructuredText

Copy Depth Summary Percent MediaWiki

Copy Depth Summary Percent Org

Copy Depth Summary Percent Textile

Copy Depth Summary Percent Jira

Copy Depth Summary Percent Confluence

Copy Depth Summary Percent BBCode

Copy Depth Summary Percent DokuWiki

Copy Depth Summary Percent TracWiki

Copy Depth Summary Percent Foswiki

Copy Depth Summary Percent PmWiki

Copy Depth Summary Percent MoinMoin

Copy Depth Summary Percent XWiki

Copy Depth Summary Percent TiddlyWiki

Copy Depth Summary Percent Creole

Copy Depth Summary Percent PukiWiki

Copy Depth Summary Percent UseModWiki

Copy Depth Summary Percent Oddmuse

Copy Depth Summary Percent WikkaWiki

Copy Depth Summary Percent ZimWiki

Copy Depth Summary Percent JSPWiki

Copy Depth Summary Percent TWiki

Copy Depth Summary Percent WackoWiki

Copy Depth Summary Percent TikiWiki

Copy Depth Summary Percent PhpWiki

Copy Depth Summary Percent Ikiwiki

Copy Depth Summary Percent Gollum

Copy Depth Summary Percent Instiki

Copy Depth Summary Percent DidiWiki

Copy Depth Summary Percent Wikidot

Copy Depth Summary Percent VimWiki

Copy Depth Summary Percent Wikitext

Copy Node IDs

Copy Branch IDs

ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

ScriptoriumAI

Projects

Editor

Runboard

PDF Intake

Patch Queue

Corpus Graph

Search

Whiteboard

MindMap

AI Diagram Studio

Video Studio

AI Kanban

Research Agent

Skills Manager

OpenAPI Routing

Manim Sandbox

Visualizations

AI Diagram Studio

AI-assisted diagram planning, contract validation, publish preflight, and routed handoff orchestration for natural-language diagram workflows.

Workflow Presets

Apply a common operator scenario, then refine manually if needed.

Editor Embed Review

Fast route-embed planning for local review and contract iteration.

Managed Publish Handoff

Run adapter-backed handoff with managed-object publishing and signed delivery.

Governance Canary

Bias toward faster calibration runs and canary evidence collection.

Architecture Plan

balanced

hybrid_route_adapter

Refresh Plan

Load Last

Artifact Contract

Sync Whiteboard Scene ID

Validate Contract

Load Last Contract

```
{  "contract_version": "1.0.0",  "format": "drawio_xml",  "scene_id": "scene_example_alpha",  "artifact_uri": "inline://next-ai-draw-io/scene_example_alpha.drawio",  "inline_document": "<mxfile><diagram name='Page-1'></diagram></mxfile>",  "entity_links": [    {      "id": "nextaidrawio_entity_link_1",      "entity_type": "Concept",      "entity_id": "concept_alpha",      "relation": "illustrates",      "confidence": 0.95,      "source": "nextaidrawio"    }  ],  "prompt_context": {
```

Handoff Payload

The screenshot displays the ScriptoriumAI application interface. At the top, a dark header bar contains the ScriptoriumAI logo, a subtitle 'AI-Native Research & Scientific Publication Suite', and user information for 'Snapshot Operator' with a dropdown arrow. Below the header is a navigation menu with options: File, Edit, Insert, Format, Document, Layout, Agents & Skills, Orchestration, Manim / Visuals, View, Go, and Help. The main interface is divided into a left sidebar and a central workspace. The sidebar, titled 'ScriptoriumAI', lists various tools: Projects, Editor, Runboard, PDF Intake, Patch Queue, Corpus Graph, Search, Whiteboard, MindMap, AI Diagram Studio, Video Studio, AI Kanban, Research Agent (highlighted), Skills Manager, OpenAPI Routing, Manim Sandbox, and Visualizations. The central workspace features the 'Research Agent Dashboard'. It includes a title, a subtitle 'Manage your active multi-perspective research agents, track topic syntheses, and review generated drafts', and a '+ New Research Topic' button. Below this is a summary section with three cards: 'ACTIVE' (0), 'COMPLETED' (0), and 'TOTAL' (0). A progress bar shows 'Active' and 'Completed' status. A central message states 'No active research sessions.' with a '+ Start a new topic chat' button. At the bottom, a warning box titled 'Connect Backend - Research Agent Orchestration' explains that active sessions are populated from a backend and that a multi-perspective agent needs to be implemented for remote research runs, as currently submissions are stored locally only. It provides a link to 'View PR' and mentions that a topic payload is required to activate the orchestration.



The screenshot displays the ScriptoriumAI application interface. The top navigation bar includes the ScriptoriumAI logo, a subtitle "AI-Native Research & Scientific Publication Suite", and a "Command" button with a keyboard icon and "Ctrl+K". A "Snapshot Operator" section shows a yellow circle with "SO" and the text "Snapshot Operator snapshot@scriptoriumai.local". The main menu on the left lists various tools: Projects, Editor, Runboard, PDF Intake, Patch Queue, Corpus Graph, Search, Whiteboard, MindMap, AI Diagram Studio, Video Studio, AI Kanban, Research Agent, Skills Manager, OpenAPI Routing (highlighted), Manim Sandbox, and Visualizations. The central workspace shows the "OpenAPI Global Routing" configuration page. It features a title "OpenAPI Global Routing" and a subtitle "Configure resilient fallback routing across LLM providers. Cost-optimization thresholds dictate which backend serves each capability per the orchestration gateway." Below this is a message box stating "Server did not publish LLM metadata. Local routing preferences will be used." The configuration is divided into two main sections: "Model Gateway Thresholds" and "Endpoint Metadata". The "Model Gateway Thresholds" section includes a "Primary Provider" dropdown set to "OpenAI", and three tiers of routing rules. Tier 1 is "High Reasoning (Code / Math)" with a dropdown set to "Anthropic: Claude 4.0 Sonnet". Tier 2 is "Speed / Context Summarization" with a dropdown set to "Anthropic: Claude 3.5 Haiku". Tier 3 is "Local Fallback (Privacy / Context)" with a dropdown set to "Open 3.6 Plus Local (Ollama)". The "Endpoint Metadata" section shows a table with columns for "Endpoint", "Model", "Cost", and "Latency". It lists several endpoints, including "https://api.openai.com/v1" and "https://api.anthropic.com/v1", with their respective models, costs, and latencies. A "Refresh" button is located at the bottom right of the table.

 ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

 ScriptoriumAI

<

 Projects

 Editor

 Runboard

 PDF Intake

 Patch Queue

 Corpus Graph

 Search

 Whiteboard

 MindMap

 AI Diagram Studio

 Video Studio

 AI Kanban

 Research Agent

 Skills Manager

 OpenAPI Routing

 Manim Sandbox

 Visualizations

Manim / Visuals Studio

View Manim / Visuals Studio and render animations directly. Results appear in the Dashboard gallery.

Storyboard

Manim Visualization

1. From: render: report: 1

2.

3. <class: HyperbolicTorusScene>

4. def: visualization: rot

Ready to render

Render Animation

Connect Backboard - Manim Visualization Engine rendering requires the latest WebGL Services to visualize content running at localhost - visualizer-renderer. Storyboard gallery populated from https://openapi.scriptoriumai.local and local browser storage.

ScriptoriumAI

AI-Native Research & Scientific Publication Suite

Command

Ctrl+K

SO

Snapshot Operator

snapshot@scriptoriumai.local

File

Edit

Insert

Format

Document

Layout

Agents & Skills

Orchestration

Manim / Visuals

View

Go

Help

ScriptoriumAI

Projects

Editor

Runboard

PDF Intake

Patch Queue

Corpus Graph

Search

Whiteboard

MindMap

AI Diagram Studio

Video Studio

AI Kanban

Research Agent

Skills Manager

OpenAPI Routing

Manim Sandbox

Visualizations

Settings

Configure your Scriptorium experience

API Configuration

Scriptorium Server URL

http://localhost:3000

Legacy Compatibility Backend URL (Optional)

http://localhost:3001

Usage API Endpoint

http://localhost:3000/admin/usage

Usage API Token (Optional)

Bearer token

Requests will append /global for the overall tenant summary.

Include a pre-shared bearer token if the admin endpoint requires authentication.

LLM Provider & Model

Exposed provider/model switching for AI generation tasks. This prepares OpenRouter, self-hosted endpoints, and proprietary API integration.

Provider capability handshake unavailable (Network Error). Local provider options remain editable.

Provider

OpenAI

Global Model ID

Base URL (OpenAI-compatible)